From: Dawn loven/R3/USEPA/US Sent: 1/18/2012 3:49:55 PM

To: johnson.eric@epa.gov

CC:

Subject: READING FILE - Fw: rest of the residents......

----- Forwarded by Dawn loven/R3/USEPA/US on 01/18/2012 03:49 PM -----

From: Dawn loven/R3/USEPA/US

To: Richard Fetzer/R3/USEPA/US@EPA

Cc: Ann DiDonato/R3/USEPA/US@EPA, Dennis Carney/R3/USEPA/US@EPA, Humane Zia/R3/USEPA/US@EPA,

johnson.eric@epa.gov, Lora Werner/R3/USEPA/US@EPA

Date: 01/12/2012 11:42 AM Subject: Re: rest of the residents.....

Attached is a memo addressing well data and potential risks for Residents 9 through 18. If you have any questions, please let me know. Thanks.

Dawn

Dawn A. Toven, toxicologist U.S. EPA - Region III (3HS41) 1650 Arch street Philadelphia, PA 19103 215.814.3320

From: Richard Fetzer/R3/USEPA/US
To: Ann DiDonato/R3/USEPA/US@EPA

Cc: Dawn Ioven/R3/USEPA/US@EPA, Dennis Carney/R3/USEPA/US@EPA, Humane Zia/R3/USEPA/US@EPA

Date: 01/11/2012 10:35 AM Subject: Re: rest of the residents......

Dawn...et al.

Just to be clear...we need this expedited, but plan to include additional residents beyond the 3 in a future action memo. So the opinion on the 3 remaining write up should stand alone.

then send us opinion on the rest.

thanks Rich

Richard M. Fetzer Federal On-Scene Coordinator 100 Gypsum Road Stroudsburg, PA 18360 (215) 341-6307

DIM0042434 DIM0042434

From: Ann DiDonato/R3/USEPA/US
To: Dawn loven/R3/USEPA/US@EPA

Cc: Dennis Carney/R3/USEPA/US@EPA, Humane Zia/R3/USEPA/US@EPA, Richard Fetzer/R3/USEPA/US@EPA

Date: 01/11/2012 10:04 AM Subject: rest of the residents.....

Hi Dawn -

Here is the list of the rest of the resident from the Cabot CO&A - please evaluate. At this point we believe that the information is correct to the best of our knowledge - thanks! Please expedite if possible - call me with questions -

[attachment "Summary of Residents without water_ residents 9_18.docx" deleted by Richard Fetzer/R3/USEPA/US]

Ann (Breslin) DiDonato On-Scene Coordinator US EPA Region III - Philadelphia Office 215-814-3311 Cell 215-287-8157

DIM0042434 DIM0042435